

## **Standard Construction Features:**

- 1-1/8" thick, 45lb. density industrial particle board core
- .040"-.050" thick high pressure plastic laminate top
- .045" or .020" thick backing sheet
- Water based PVA glue adhesive

# **Shapes and Sizes:**


\*All top sizes listed are nominal size

## **Boat Shape**

- Boat Griape			
Shape		Size	
	W (End)	W (Middle)	L
	30"	36"	72"
	30"	36"	96"
	36"	42"	84"
	36"	48"	96"
	36"	48"	120"
	36"	48"	144"
	36"	54"	144"
	42"	60"	144"
	42"	60"	168"
	42"	60"	192"
	42"	60"	240"
	42"	60"	288"


<sup>\*</sup>Note\* Tables over 60" in width or 144" in length must be made in multiple sections

# **Rectangle & Square Shape**




\*Note\* Tables over 60" in width or 144" in length must be made in multiple sections

# **Racetrack Shape**



\*Note\* Tables over 60" in width or 144" in length must be made in multiple sections

## **Round Shape**



<sup>\*</sup>Note\* Tables over 60" in width or 144" in length must be made in multiple sections

### **Finishing Options:**

- Can be ordered with any choice of standard laminate offerings. See "Finishing Options" for more information.
- Can be made with available Shoto Corporation edge style offerings (restrictions may apply)
- See Shoto Corporation's edge styles for more details

### **Options & Accessories:**

- Custom power modules available (See Shoto Corporation Accessories for more information). If customer is supplying their own power module, Shoto can manufacture top with appropriate cutout. Proper cutout dimensions and applicable make, model, and part numbers must be provided by the customer.
- Field joints and ganging devices available
- Contact factory for intermediate size options
- Can be paired Shoto Corporation Table Bases
  See Shoto Corporation Table Bases and "Recommended Table Base Guide" for more information

Phone: 920-682-0196 | WWW.SHOTOCORP.COM | Fax: 920-684-6511 4